

CERTIFICATE OF COMPLIANCE

Certificate Number 20180331-E217211
Report Reference E217211-A6001-UL
Issue Date 2018-MARCH-31

Issued to: Guntermann & Drunck GmbH Systementwicklung
Obere Leimbach 9
57074 Siegen GERMANY

**This is to certify that
representative samples of**

AUDIO/VIDEO, INFORMATION AND COMMUNICATION
TECHNOLOGY EQUIPMENT
See addendum page for models

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 62368-1 and CAN/CSA C22.2 No. 62368-1-14
Audio/video, information and communication technology
equipment Part 1: Safety requirements

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number	20180331-E217211
Report Reference	E217211-A6001-UL
Issue Date	2018-MARCH-31

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Models/Product

KVM-Extender Model

DP1.2-Vision-CAT-AR-CPU; DP1.2-Vision-CAT-AR-CPU-UC; DP1.2-Vision-CAT-ARU-CPU; DP1.2-Vision-CAT-ARU-CPU-UC; DP1.2-Vision-CAT-ARU2-CPU; DP1.2-Vision-Fiber(M)-AR-CPU; DP1.2-Vision-Fiber(M)-AR-CPU-UC; DP1.2-Vision-Fiber(M)-ARU-CPU; DP1.2-Vision-Fiber(M)-ARU-CPU-UC; DP1.2-Vision-Fiber(M)-ARU2-CPU; DP1.2-Vision-Fiber(S)-AR-CPU; DP1.2-Vision-Fiber(S)-AR-CPU-UC; DP1.2-Vision-Fiber(S)-ARU-CPU; DP1.2-Vision-Fiber(S)-ARU-CPU-UC; DP1.2-Vision-Fiber(S)-ARU2-CPU; DP1.2-Vision-Fiber(S+)-AR-CPU; DP1.2-Vision-Fiber(S+)-AR-CPU-UC; DP1.2-Vision-Fiber(S+)-ARU-CPU; DP1.2-Vision-Fiber(S+)-ARU-CPU-UC; DP1.2-Vision-Fiber(S+)-ARU2-CPU; DP1.2-Vision-CAT-AR-CON; DP1.2-Vision-CAT-AR-CON-2; DP1.2-Vision-CAT-ARU-CON; DP1.2-Vision-CAT-ARU-CON-2; DP1.2-Vision-CAT-ARU2-CON; DP1.2-Vision-Fiber(M)-AR-CON; DP1.2-Vision-Fiber(M)-AR-CON-2; DP1.2-Vision-Fiber(M)-ARU-CON; DP1.2-Vision-Fiber(M)-ARU-CON-2; DP1.2-Vision-Fiber(M)-ARU2-CON; DP1.2-Vision-Fiber(S)-AR-CON; DP1.2-Vision-Fiber(S)-AR-CON-2; DP1.2-Vision-Fiber(S)-ARU-CON; DP1.2-Vision-Fiber(S)-ARU-CON-2; DP1.2-Vision-Fiber(S)-ARU2-CON; DP1.2-Vision-Fiber(S+)-AR-CON; DP1.2-Vision-Fiber(S+)-AR-CON-2; DP1.2-Vision-Fiber(S+)-ARU-CON; DP1.2-Vision-Fiber(S+)-ARU-CON-2; DP1.2-Vision-Fiber(S+)-ARU2-CON; DP1.2-Vision-CAT-MC2-AR-CPU; DP1.2-Vision-CAT-MC2-ARU-CPU; DP1.2-Vision-CAT-MC2-ARU2-CPU; DP1.2-Vision-Fiber(M)-MC2-AR-CPU; DP1.2-Vision-Fiber(M)-MC2-ARU-CPU; DP1.2-Vision-Fiber(M)-MC2-ARU2-CPU; DP1.2-Vision-Fiber(S)-MC2-AR-CPU; DP1.2-Vision-Fiber(S)-MC2-ARU-CPU; DP1.2-Vision-Fiber(S)-MC2-ARU2-CPU; DP1.2-Vision-Fiber(S+)-MC2-AR-CPU; DP1.2-Vision-Fiber(S+)-MC2-ARU-CPU; DP1.2-Vision-Fiber(S+)-MC2-ARU2-CPU; DP1.2-Vision-CAT-MC2-AR-CON; DP1.2-Vision-CAT-MC2-ARU-CON; DP1.2-Vision-CAT-MC2-ARU2-CON; DP1.2-Vision-Fiber(M)-MC2-AR-CON; DP1.2-Vision-Fiber(M)-MC2-ARU-CON; DP1.2-Vision-Fiber(M)-MC2-ARU2-CON; DP1.2-Vision-Fiber(S)-MC2-AR-CON; DP1.2-Vision-Fiber(S)-MC2-ARU-CON; DP1.2-Vision-Fiber(S)-MC2-ARU2-CON; DP1.2-Vision-Fiber(S+)-MC2-AR-CON; DP1.2-Vision-Fiber(S+)-MC2-ARU-CON; DP1.2-Vision-Fiber(S+)-MC2-ARU2-CON; DP1.2-Vision-CAT-MC3-AR-CPU; DP1.2-Vision-CAT-MC3-ARU-CPU; DP1.2-Vision-CAT-MC3-ARU2-CPU; DP1.2-Vision-Fiber(M)-MC3-AR-CPU; DP1.2-Vision-Fiber(M)-MC3-ARU-CPU; DP1.2-Vision-Fiber(M)-MC3-ARU2-CPU; DP1.2-Vision-Fiber(S)-MC3-AR-CPU; DP1.2-Vision-Fiber(S)-MC3-ARU-CPU; DP1.2-Vision-Fiber(S)-MC3-ARU2-CPU; DP1.2-Vision-Fiber(S+)-MC3-AR-CPU; DP1.2-Vision-Fiber(S+)-MC3-ARU-CPU; DP1.2-Vision-Fiber(S+)-MC3-ARU2-CPU; DP1.2-Vision-CAT-MC3-AR-CON; DP1.2-Vision-CAT-MC3-ARU-CON; DP1.2-Vision-CAT-MC3-ARU2-CON; DP1.2-Vision-Fiber(M)-MC3-AR-CON; DP1.2-Vision-Fiber(M)-MC3-ARU-CON; DP1.2-Vision-Fiber(M)-MC3-ARU2-CON; DP1.2-Vision-Fiber(S)-MC3-AR-CON; DP1.2-Vision-Fiber(S)-MC3-ARU-CON; DP1.2-Vision-Fiber(S)-MC3-ARU2-CON; DP1.2-Vision-Fiber(S+)-MC3-AR-CON; DP1.2-Vision-Fiber(S+)-MC3-ARU-CON; DP1.2-Vision-Fiber(S+)-MC3-ARU2-CON; DP1.2-Vision-CAT-MC4-AR-CPU; DP1.2-Vision-CAT-MC4-ARU-CPU; DP1.2-Vision-CAT-MC4-ARU2-CPU; DP1.2-Vision-Fiber(M)-MC4-AR-CPU; DP1.2-Vision-Fiber(M)-MC4-ARU-CPU; DP1.2-Vision-Fiber(M)-MC4-ARU2-CPU; DP1.2-Vision-Fiber(S)-MC4-AR-CPU; DP1.2-Vision-Fiber(S)-MC4-ARU-CPU; DP1.2-Vision-

Barnes

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180331-E217211
Report Reference E217211-A6001-UL
Issue Date 2018-MARCH-31

Fiber(S)-MC4-ARU2-CPU; DP1.2-Vision-Fiber(S+)-MC4-AR-CPU; DP1.2-Vision-Fiber(S+)-MC4-ARU-CPU; DP1.2-Vision-Fiber(S+)-MC4-ARU2-CPU; DP1.2-Vision-CAT-MC4-AR-CON; DP1.2-Vision-CAT-MC4-ARU-CON; DP1.2-Vision-CAT-MC4-ARU2-CON; DP1.2-Vision-Fiber(M)-MC4-AR-CON; DP1.2-Vision-Fiber(M)-MC4-ARU-CON; DP1.2-Vision-Fiber(M)-MC4-ARU2-CON; DP1.2-Vision-Fiber(S)-MC4-AR-CON; DP1.2-Vision-Fiber(S)-MC4-ARU-CON; DP1.2-Vision-Fiber(S)-MC4-ARU2-CON; DP1.2-Vision-Fiber(S+)-MC4-AR-CON; DP1.2-Vision-Fiber(S+)-MC4-ARU-CON; DP1.2-Vision-Fiber(S+)-MC4-ARU2-CON; DP1.2-Vision-Fiber(BiDi)-AR-CON; DP1.2-Vision-Fiber(BiDi)-AR-CON-2; DP1.2-Vision-Fiber(BiDi)-AR-CPU; DP1.2-Vision-Fiber(BiDi)-AR-CPU-UC; DP1.2-Vision-Fiber(BiDi)-ARU-CON; DP1.2-Vision-Fiber(BiDi)-ARU-CON-2; DP1.2-Vision-Fiber(BiDi)-ARU-CPU; DP1.2-Vision-Fiber(BiDi)-ARU-CPU-UC; DP1.2-Vision-Fiber(BiDi)-ARU2-CON; DP1.2-Vision-Fiber(BiDi)-ARU2-CPU; DP1.2-Vision-Fiber(BiDi)-MC2-AR-CON; DP1.2-Vision-Fiber(BiDi)-MC2-AR-CPU; DP1.2-Vision-Fiber(BiDi)-MC2-ARU-CON; DP1.2-Vision-Fiber(BiDi)-MC2-ARU-CPU; DP1.2-Vision-Fiber(BiDi)-MC2-ARU2-CON; DP1.2-Vision-Fiber(BiDi)-MC2-ARU2-CPU; DP1.2-Vision-Fiber(BiDi)-MC3-AR-CON; DP1.2-Vision-Fiber(BiDi)-MC3-AR-CPU; DP1.2-Vision-Fiber(BiDi)-MC3-ARU-CON; DP1.2-Vision-Fiber(BiDi)-MC3-ARU-CPU; DP1.2-Vision-Fiber(BiDi)-MC3-ARU2-CON; DP1.2-Vision-Fiber(BiDi)-MC4-AR-CON; DP1.2-Vision-Fiber(BiDi)-MC4-AR-CPU; DP1.2-Vision-Fiber(BiDi)-MC4-ARU-CON; DP1.2-Vision-Fiber(BiDi)-MC4-ARU-CPU; DP1.2-Vision-Fiber(BiDi)-MC4-ARU2-CON; DP1.2-Vision-Fiber(BiDi)-MC4-ARU2-CPU; DP1.2-Vision-IP-AR-CPU; DP1.2-Vision-IP-AR-CPU-2C; DP1.2-Vision-IP-Fiber(M)-AR-CPU; DP1.2-Vision-IP-Fiber(M)-AR-CPU-2F; DP1.2-Vision-IP-Fiber(S)-AR-CPU; DP1.2-Vision-IP-Fiber(S)-AR-CPU-2F; DP1.2-Vision-IP-AR-CON; DP1.2-Vision-IP-AR-CON-2C; DP1.2-Vision-IP-Fiber(M)-AR-CON; DP1.2-Vision-IP-Fiber(M)-AR-CON-2F; DP1.2-Vision-IP-Fiber(S)-AR-CON; DP1.2-Vision-IP-Fiber(S)-AR-CON-2F; DP-Vision-CAT-AR-CPU; DP-Vision-CAT-AR-CPU-UC; DP-Vision-CAT-ARU2-CPU; DP-Vision-CAT-ARU-CPU; DP-Vision-Fiber(M)-ARU-CPU-UC; DP-Vision-Fiber(M)-ARU-CPU; DP-Vision-Fiber(M)-ARU-CPU-UC; DP-Vision-Fiber(S)-AR-CPU; DP-Vision-Fiber(S)-AR-CPU-UC; DP-Vision-Fiber(S)-ARU2-CPU; DP-Vision-Fiber(S)-ARU-CPU; DP-Vision-Fiber(S)-ARU-CPU-UC; DP-Vision-Fiber(S+)-AR-CPU; DP-Vision-Fiber(S+)-AR-CPU-UC; DP-Vision-Fiber(S+)-ARU2-CPU; DP-Vision-Fiber(S+)-ARU-CPU; DP-Vision-Fiber(S+)-ARU-CPU-UC; DP-Vision-IP-AR-CPU; DP-Vision-IP-AR-CPU-2C; DP-Vision-IP-Fiber(S)-AR-CPU-2F; DP-Vision-IP-Fiber(M)-AR-CPU; DP-Vision-IP-Fiber(M)-AR-CPU-2F; DP-Vision-IP-Fiber(S)-AR-CPU; DP-Vision-CAT-AR-CON; DP-Vision-CAT-AR-CON-2; DP-Vision-CAT-ARU2-CON; DP-Vision-CAT-ARU-CON; DP-Vision-CAT-ARU-CON-2; DP-Vision-Fiber(M)-AR-CON; DP-Vision-Fiber(M)-AR-CON-2; DP-Vision-Fiber(M)-ARU2-CON; DP-Vision-Fiber(M)-ARU-CON; DP-Vision-Fiber(M)-ARU-CON-2; DP-Vision-Fiber(S)-AR-CON; DP-Vision-Fiber(S)-AR-CON-2; DP-Vision-Fiber(S)-ARU2-CON; DP-Vision-Fiber(S)-ARU-CON; DP-Vision-Fiber(S)-ARU-CON-2; DP-Vision-Fiber(S+)-AR-CON; DP-Vision-Fiber(S+)-AR-CON-2; DP-Vision-Fiber(S+)-ARU2-CON; DP-Vision-Fiber(S+)-ARU-CON; DP-Vision-Fiber(S+)-ARU-CON-2; DP-Vision-IP-AR-CON; DP-Vision-IP-AR-CON-2C; DP-Vision-IP-Fiber(M)-AR-CON; DP-Vision-IP-Fiber(M)-AR-CON-2F; DP-Vision-IP-Fiber(S)-AR-CON; DP-Vision-IP-Fiber(S)-AR-CON-2F; DP-Vision-CAT-MC2-AR-CPU; DP-Vision-CAT-MC2-ARU2-CPU; DP-Vision-CAT-MC2-ARU-CPU; DP-Vision-Fiber(M)-MC2-AR-CPU; DP-Vision-Fiber(M)-MC2-ARU2-CPU; DP-Vision-Fiber(M)-MC2-ARU-CPU; DP-Vision-Fiber(S)-MC2-AR-CPU; DP-Vision-Fiber(S)-MC2-ARU2-CPU; DP-Vision-Fiber(S)-MC2-ARU-CPU; DP-Vision-Fiber(S+)-MC2-AR-CPU; DP-Vision-Fiber(S+)-MC2-ARU2-CPU; DP-Vision-Fiber(S+)-MC2-ARU-CPU; DP-Vision-CAT-MC2-AR-CON; DP-Vision-CAT-MC2-ARU2-CON; DP-Vision-CAT-MC2-ARU-CON; DP-Vision-Fiber(M)-MC2-



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number	20180331-E217211
Report Reference	E217211-A6001-UL
Issue Date	2018-MARCH-31

AR-CON; DP-Vision-Fiber(M)-MC2-ARU2-CON; DP-Vision-Fiber(M)-MC2-ARU-CON; DP-Vision-Fiber(S)-MC2-AR-CON; DP-Vision-Fiber(S)-MC2-ARU2-CON; DP-Vision-Fiber(S)-MC2-ARU-CON; DP-Vision-Fiber(S+)-MC2-AR-CON; DP-Vision-Fiber(S+)-MC2-ARU2-CON; DP-Vision-Fiber(S+)-MC2-ARU-CON; DP-Vision-CAT-MC3-AR-CPU; DP-Vision-CAT-MC3-ARU2-CPU; DP-Vision-CAT-MC3-ARU-CPU; DP-Vision-Fiber(M)-MC3-AR-CPU; DP-Vision-Fiber(M)-MC3-ARU2-CPU; DP-Vision-Fiber(M)-MC3-ARU-CPU; DP-Vision-Fiber(S)-MC3-AR-CPU; DP-Vision-Fiber(S)-MC3-ARU2-CPU; DP-Vision-Fiber(S)-MC3-ARU-CPU; DP-Vision-Fiber(S+)-MC3-AR-CPU; DP-Vision-Fiber(S+)-MC3-ARU2-CPU; DP-Vision-Fiber(S+)-MC3-ARU-CPU; DP-Vision-CAT-MC3-AR-CON; DP-Vision-CAT-MC3-ARU2-CON; DP-Vision-CAT-MC3-ARU-CON; DP-Vision-Fiber(M)-MC3-AR-CON; DP-Vision-Fiber(M)-MC3-ARU2-CON; DP-Vision-Fiber(M)-MC3-ARU-CON; DP-Vision-Fiber(S)-MC3-AR-CON; DP-Vision-Fiber(S)-MC3-ARU2-CON; DP-Vision-Fiber(S)-MC3-ARU-CON; DP-Vision-Fiber(S+)-MC3-AR-CON; DP-Vision-Fiber(S+)-MC3-ARU2-CON; DP-Vision-Fiber(S+)-MC3-ARU-CON; DP-Vision-CAT-MC4-AR-CPU; DP-Vision-CAT-MC4-ARU2-CPU; DP-Vision-CAT-MC4-ARU-CPU; DP-Vision-Fiber(M)-MC4-AR-CPU; DP-Vision-Fiber(M)-MC4-ARU2-CPU; DP-Vision-Fiber(M)-MC4-ARU-CPU; DP-Vision-Fiber(S)-MC4-AR-CPU; DP-Vision-Fiber(S)-MC4-ARU2-CPU; DP-Vision-Fiber(S)-MC4-ARU-CPU; DP-Vision-Fiber(S+)-MC4-AR-CPU; DP-Vision-Fiber(S+)-MC4-ARU2-CPU; DP-Vision-Fiber(S+)-MC4-ARU-CPU; DP-Vision-CAT-MC4-AR-CON; DP-Vision-CAT-MC4-ARU2-CON; DP-Vision-CAT-MC4-ARU-CON; DP-Vision-Fiber(M)-MC4-AR-CON; DP-Vision-Fiber(M)-MC4-ARU2-CON; DP-Vision-Fiber(M)-MC4-ARU-CON; DP-Vision-Fiber(S)-MC4-AR-CON; DP-Vision-Fiber(S)-MC4-ARU2-CON; DP-Vision-Fiber(S)-MC4-ARU-CON; DP-Vision-Fiber(S+)-MC4-AR-CON; DP-Vision-Fiber(S+)-MC4-ARU2-CON; DP-Vision-Fiber(S+)-MC4-ARU-CON; DP-Vision-Fiber(BiDi)-AR-CPU; DP-Vision-Fiber(BiDi)-AR-CPU-UC; DP-Vision-Fiber(BiDi)-ARU2-CPU; DP-Vision-Fiber(BiDi)-ARU-CPU; DP-Vision-Fiber(BiDi)-ARU-CPU-UC; DP-Vision-Fiber(BiDi)-AR-CON; DP-Vision-Fiber(BiDi)-AR-CON-2; DP-Vision-Fiber(BiDi)-ARU2-CON; DP-Vision-Fiber(BiDi)-ARU-CON; DP-Vision-Fiber(BiDi)-ARU-CON-2; DP-Vision-IP-Fiber(BiDi)-AR-CPU; DP-Vision-IP-Fiber(BiDi)-AR-CPU-2F; DP-Vision-IP-Fiber(BiDi)-AR-CON; DP-Vision-IP-Fiber(BiDi)-AR-CON-2F; DP-Vision-Fiber(BiDi)-MC2-AR-CPU; DP-Vision-Fiber(BiDi)-MC2-ARU2-CPU; DP-Vision-Fiber(BiDi)-MC2-ARU-CPU; DP-Vision-Fiber(BiDi)-MC2-AR-CON; DP-Vision-Fiber(BiDi)-MC2-ARU2-CON; DP-Vision-Fiber(BiDi)-MC2-ARU-CON; DP-Vision-Fiber(BiDi)-MC3-AR-CPU; DP-Vision-Fiber(BiDi)-MC3-ARU2-CPU; DP-Vision-Fiber(BiDi)-MC3-ARU-CPU; DP-Vision-Fiber(BiDi)-MC3-AR-CON; DP-Vision-Fiber(BiDi)-MC3-ARU2-CON; DP-Vision-Fiber(BiDi)-MC3-ARU-CON; DP-Vision-Fiber(BiDi)-MC4-AR-CPU; DP-Vision-Fiber(BiDi)-MC4-ARU2-CPU; DP-Vision-Fiber(BiDi)-MC4-ARU-CPU; DP-Vision-Fiber(BiDi)-MC4-AR-CON; DP-Vision-Fiber(BiDi)-MC4-ARU2-CON; DP-Vision-Fiber(BiDi)-MC4-ARU-CON; DP1.2-VisionXG-Fiber(M)-AR-CON; DP1.2-VisionXG-Fiber(M)-ARU2-CON; DP1.2-VisionXG-Fiber(S)-AR-CON; DP1.2-VisionXG-Fiber(S)-ARU2-CON; DP1.2-VisionXG-Fiber(M)-AR-CPU; DP1.2-VisionXG-Fiber(M)-ARU2-CPU; DP1.2-VisionXG-Fiber(S)-AR-CPU; DP1.2-VisionXG-Fiber(S)-ARU2-CPU; DP1.2-VisionXG-Fiber(M)-MC2-AR-CON; DP1.2-VisionXG-Fiber(M)-MC2-ARU2-CON; DP1.2-VisionXG-Fiber(S)-MC2-AR-CON; DP1.2-VisionXG-Fiber(S)-MC2-ARU2-CON; DP1.2-VisionXG-Fiber(S)-MC2-ARU-CON; DP1.2-VisionXG-Fiber(M)-MC2-ARU2-CPU; DP1.2-VisionXG-Fiber(M)-MC2-ARU-CPU; DP1.2-VisionXG-Fiber(S)-MC2-AR-CPU; DP1.2-VisionXG-Fiber(S)-MC2-ARU2-CPU; DP1.2-VisionXG-Fiber(S)-MC2-ARU-CPU; DP1.2-VisionXG-Fiber(M)-MC3-AR-CON; DP1.2-VisionXG-Fiber(M)-MC3-ARU2-CON; DP1.2-VisionXG-Fiber(S)-MC3-AR-CON; DP1.2-VisionXG-Fiber(S)-MC3-ARU2-CON; DP1.2-VisionXG-Fiber(M)-MC3-AR-CPU; DP1.2-VisionXG-Fiber(M)-MC3-ARU2-CPU; DP1.2-VisionXG-Fiber(S)-MC3-AR-CPU; DP1.2-VisionXG-Fiber(S)-MC3-ARU2-CPU; DP1.2-VisionXG-Fiber(M)-MC4-AR-CON;

Bamberg

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20180331-E217211
Report Reference E217211-A6001-UL
Issue Date 2018-MARCH-31

DP1.2-VisionXG-Fiber(M)-MC4-ARU2-CON; DP1.2-VisionXG-Fiber(S)-MC4-AR-CON; DP1.2-VisionXG-Fiber(S)-MC4-ARU2-CON; DP1.2-VisionXG-Fiber(M)-MC4-AR-CPU; DP1.2-VisionXG-Fiber(M)-MC4-ARU2-CPU; DP1.2-VisionXG-Fiber(S)-MC4-AR-CPU; DP1.2-VisionXG-Fiber(S)-MC4-ARU2-CPU; DP1.2-VisionXG-CAT-AR-CON; DP1.2-VisionXG-CAT-ARU2-CON; DP1.2-VisionXG-CAT-AR-CPU; DP1.2-VisionXG-CAT-ARU2-CPU; DP1.2-VisionXG-CAT-MC2-AR-CON; DP1.2-VisionXG-CAT-MC2-ARU2-CON; DP1.2-VisionXG-CAT-MC2-AR-CPU; DP1.2-VisionXG-CAT-MC2-ARU2-CPU; DP1.2-VisionXG-CAT-MC3-AR-CON; DP1.2-VisionXG-CAT-MC3-ARU2-CON; DP1.2-VisionXG-CAT-MC3-AR-CPU; DP1.2-VisionXG-CAT-MC3-ARU2-CPU; DP1.2-VisionXG-CAT-MC4-AR-CON; DP1.2-VisionXG-CAT-MC4-ARU2-CON; DP1.2-VisionXG-CAT-MC4-AR-CPU; DP1.2-VisionXG-CAT-MC4-ARU2-CPU; DP1.2-VisionXG-Fiber(BiDi)-AR-CON; DP1.2-VisionXG-Fiber(BiDi)-ARU2-CON; DP1.2-VisionXG-Fiber(BiDi)-AR-CPU; DP1.2-VisionXG-Fiber(BiDi)-ARU2-CPU; DP1.2-VisionXG-Fiber(BiDi)-MC2-AR-CON; DP1.2-VisionXG-Fiber(BiDi)-MC2-ARU2-CON; DP1.2-VisionXG-Fiber(BiDi)-MC2-AR-CPU; DP1.2-VisionXG-Fiber(BiDi)-MC2-ARU2-CPU; DP1.2-VisionXG-Fiber(BiDi)-MC3-AR-CON; DP1.2-VisionXG-Fiber(BiDi)-MC3-ARU2-CON; DP1.2-VisionXG-Fiber(BiDi)-MC3-AR-CPU; DP1.2-VisionXG-Fiber(BiDi)-MC3-ARU2-CPU; DP1.2-VisionXG-Fiber(BiDi)-MC4-AR-CON; DP1.2-VisionXG-Fiber(BiDi)-MC4-ARU2-CON; DP1.2-VisionXG-Fiber(BiDi)-MC4-AR-CPU; DP1.2-VisionXG-Fiber(BiDi)-MC4-ARU2-CPU DP1.2-Vision:



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

