


G&D
IF IT'S KVM



Specification SFP modules

Table of contents

- BiDi SFP transceiver page 3
- Regular SFP transceiver page 4
- CWDM SFP transceiver from page 6
- Other SFP transceiver page 11
- Legend page 11
- Price list from page 12

BiDi SFP transceiver

(For use with ControlCenter-Digital and -Compact, I/O-Card-Multi and -Trunk4, digital matrix computer and user modules*² and compressing extenders.*³)

Item no.	Description	Specification	Control-Center-Digital Fiber	I/O-Card-Multi	I/O-Card-Trunk4	Control-Center-Compact Fiber	Computer and user modules * ²	Compressing extenders * ³	Note
A6700032	SFP-Fiber-Transceiver 1G BiDi TX-1550 RX-1310 - Aqua	1G BiDi TX-1550 RX-1310 - Aqua		x				x* ¹	
A6700037	SFP-Fiber-Transceiver 1G BiDi TX-1310 RX-1550 - Blue	1G BiDi TX-1310 RX-1550 - Blue		x				x* ¹	
A6700033	SFP-Fiber-Transceiver 4G BiDi TX-1270 RX-1330 - Light Blue	4G BiDi TX-1270 RX-1330 - Light Blue	x	x		x	x	x	
A6700034	SFP-Fiber-Transceiver 4G BiDi TX-1330 RX-1270 - Magenta	4G BiDi TX-1330 RX-1270 - Magenta	x	x		x	x	x	
A6700035	SFP-Fiber-Transceiver 10G BiDi TX-1270 RX-1330 - Light Grey	10G BiDi TX-1270 RX-1330 - Light Grey			x				
A6700036	SFP-Fiber-Transceiver 10G BiDi TX-1330 RX-1270 - Aqua	10G BiDi TX-1330 RX-1270 - Aqua			x				

BiDi SFP transceiver continuation

(For use with Vision-IP, DL-Vision, DP1.2-VisionXG, LwLVision, Neo-FiberLink, DVI-FiberLink and audio transceivers)

Item no.	Description	Specification	Vision-IP	DL-Vision	DP1.2-VisionXG	LwLVision	Neo-FiberLink	DVI-FiberLink	Audio Transceiver	Note
A6700032	SFP-Fiber-Transceiver 1G BiDi TX-1550 RX-1310 - Aqua	1G BiDi TX-1550 RX-1310 - Aqua	x	x* ¹		x* ¹		x	x	
A6700037	SFP-Fiber-Transceiver 1G BiDi TX-1310 RX-1550 - Blue	1G BiDi TX-1310 RX-1550 - Blue	x	x* ¹		x* ¹		x	x	
A6700033	SFP-Fiber-Transceiver 4G BiDi TX-1270 RX-1330 - Light Blue	4G BiDi TX-1270 RX-1330 - Light Blue								
A6700034	SFP-Fiber-Transceiver 4G BiDi TX-1330 RX-1270 - Magenta	4G BiDi TX-1330 RX-1270 - Magenta								
A6700035	SFP-Fiber-Transceiver 10G BiDi TX-1270 RX-1330 - Light Grey	10G BiDi TX-1270 RX-1330 - Light Grey		x	x		x			
A6700036	SFP-Fiber-Transceiver 10G BiDi TX-1330 RX-1270 - Aqua	10G BiDi TX-1330 RX-1270 - Aqua		x	x		x			

Regular SFP transceiver

(For use with I/O-Card-Multi, compressing extenders*³, Vision-IP, DVI-FiberLink, CAT repeaters and audio transceivers)

Item no.	Description	Specification	I/O-Card-Multi	Compressing extenders * ³	Vision-IP	DVI-FiberLink	CAT Repeater	Audio Transceiver	Note
A6700014	SFP-Fiber-Transceiver(S)-1G	1G Singlemode 1310nm	x	x ¹	x	x		x	Singlemode ^a
A6700015	SFP-Fiber-Transceiver(M)-1G	1G Multimode 850nm	x	x ¹	x	x		x	Multimode ^a
A6700021	SFP-Fiber-Transceiver(S+)-4G (10km)	4G Singlemode Extended 1310nm	x	x		x ⁴		x ⁴	Singlemode ^b / Range up to 10 km
A6700022	SFP-Fiber-Transceiver(S)-4G (5km)	4G Singlemode 1310nm	x	x					Singlemode ^b / Range up to 5 km
A6700023	SFP-Fiber-Transceiver(M)-4G	4G Multimode 850nm	x	x		x ⁶		x ⁶	Multimode ^b
A6700075	SFP-Fiber-Transceiver(S++)-1G ext. Dist., 1550nm, FN	1G Singlemode 1550nm			x	x	x	x	Singlemode / Range up to 80 km

Regular SFP transceiver continuation

(For use with I/O-Card-Trunk4, DP1.2-VisionXG and NEO-FiberLink)

Item no.	Description	Specification	I/O-Card- Trunk	DP1.2-VisionXG	NEO-FiberLink	Note
A6700076	SFP-Fiber-Transceiver(M)-10G	10G Multimode 850nm	x	x	x	Multimode ^a
A6700077	SFP-Fiber-Transceiver(S)-10G	10G Singlemode 1310nm	x	x	x	Singlemode ^a

Regular SFP transceiver continuation

(For use with ControlCenter-Digital, ControlCenter-Compact and digital matrix computer and user modules *2)

Item no.	Description	Specification	ControlCenter-Digital Fiber	ControlCenter-Compact Fiber	Computer and user modules *2	Note
A6700021	SFP-Fiber-Transceiver(S+)-4G (10km)	4G Singlemode Extended 1310nm	x	x	x	Singlemode ^b / Range up to 10 km
A6700022	SFP-Fiber-Transceiver(S)-4G (5km)	4G Singlemode 1310nm	x	x	x	Singlemode ^b / Range up to 5 km
A6700023	SFP-Fiber-Transceiver(M)-4G	4G Multimode 850nm	x	x	x	Multimode ^b

Regular SFP transceiver continuation

(For use with DL-Vision and LwLVision)

Item no.	Description	Specification	DL-Vision	LwLVision	Note
A6700014	SFP-Fiber-Transceiver(S)-1G	1G Singlemode 1310nm	x ^{*1}	x ^{*1}	Singlemode ^a
A6700015	SFP-Fiber-Transceiver(M)-1G	1G Multimode 850nm	x ^{*1}	x ^{*1}	Multimode ^a
A6700076	SFP-Fiber-Transceiver(M)-10G	10G Multimode 850nm	x		Multimode ^a
A6700077	SFP-Fiber-Transceiver(S)-10G	10G Singlemode 1310nm	x		Singlemode ^b

a: SFP transceiver that is factory fitted as standard with DVI-FiberLink, audio transceivers and devices with USB 2.0 transmission interface (1 Gbps).

b: SFP transceiver that is factory fitted as standard on all compressing extenders and fiber optic matrix components (2.5 Gbps).

*1: Can only be used with the transmission interface USB 2.0 transparent

*2: All fibre optic variants of digital matrix computer and user modules

*3: Affected compressing G&D KVM extenders are: DP1.2-Vision, DP-Vision, DVI-Vision

*4: Supports 1G mode with extended range of up to 20 km

*5: Supports 1G mode with extended range of up to 40 km

*6: Supports 1G mode up to 200 m

CWDM SFP transceiver

(For use with ControlCenter-Digital and -Compact and I/O-Card-Multi)

Item no.	Description	Specification	ControlCenter-Digital Fiber	I/O-Card-Multi	ControlCenter-Compact Fiber	Note
A6700039	SFP-Fiber-Transceiver 1G CWDM Rose Red, 1270nm, FS	1G CWDM 1270nm		x		Range up to 20 km
A6700040	SFP-Fiber-Transceiver 1G CWDM Sky Blue, 1290nm, FS	1G CWDM 1290nm		x		Range up to 20 km
A6700041	SFP-Fiber-Transceiver 1G CWDM Vivid Green, 1310nm, FS	1G CWDM 1310nm		x		Range up to 20 km
A6700042	SFP-Fiber-Transceiver 1G CWDM Caramel, 1330nm, FS	1G CWDM 1330nm		x		Range up to 20 km
A6700043	SFP-Fiber-Transceiver 1G CWDM Pink, 1350nm, FS	1G CWDM 1350nm		x		Range up to 20 km
A6700044	SFP-Fiber-Transceiver 1G CWDM Beige, 1370nm, FS	1G CWDM 1370nm		x		Range up to 20 km
A6700045	SFP-Fiber-Transceiver 1G CWDM White, 1390nm, FS	1G CWDM 1390nm		x		Range up to 20 km
A6700046	SFP-Fiber-Transceiver 1G CWDM Light Grey, 1410nm, FS	1G CWDM 1410nm		x		Range up to 20 km
A6700047	SFP-Fiber-Transceiver 1G CWDM Black, 1430nm, FS	1G CWDM 1430nm		x		Range up to 20 km
A6700048	SFP-Fiber-Transceiver 1G CWDM Yellow, 1450nm, FS	1G CWDM 1450nm		x		Range up to 20 km
A6700049	SFP-Fiber-Transceiver 1G CWDM Grey, 1470nm, FS	1G CWDM 1470nm		x		Range up to 20 km
A6700050	SFP-Fiber-Transceiver 1G CWDM Purple, 1490nm, FS	1G CWDM 1490nm		x		Range up to 20 km
A6700051	SFP-Fiber-Transceiver 1G CWDM Blue, 1510nm, FS	1G CWDM 1510nm		x		Range up to 20 km
A6700052	SFP-Fiber-Transceiver 1G CWDM Green, 1530nm, FS	1G CWDM 1530nm		x		Range up to 20 km
A6700053	SFP-Fiber-Transceiver 1G CWDM Buff, 1550nm, FS	1G CWDM 1550nm		x		Range up to 20 km
A6700054	SFP-Fiber-Transceiver 1G CWDM Orange, 1570nm, FS	1G CWDM 1570nm		x		Range up to 20 km
A6700055	SFP-Fiber-Transceiver 1G CWDM Red, 1590nm, FS	1G CWDM 1590nm		x		Range up to 20 km
A6700056	SFP-Fiber-Transceiver 1G CWDM Brown, 1610nm, FS	1G CWDM 1610nm		x		Range up to 20 km
A6700028	SFP-Fiber-Transceiver 4G 1470 Grey, 1470nm, FN	4G CWDM 1470nm - Grey	x	x	x	
A6700029	SFP-Fiber-Transceiver 4G 1490 Violet, 1490nm, FN	4G CWDM 1490nm - Violet	x	x	x	
A6700030	SFP-Fiber-Transceiver 4G 1510 Blue, 1510nm, FN	4G CWDM 1510nm - Blue	x	x	x	
A6700031	SFP-Fiber-Transceiver 4G 1530 Green, 1530nm, FN	4G CWDM 1530nm - Green	x	x	x	

CWDM SFP transceiver continuation
 (For use with ControlCenter-Digital and -Compact and I/O-Card-Multi)

Item no.	Description	Specification	ControlCenter-Digital Fiber	I/O-Card-Multi	ControlCenter-Compact Fiber	Note
A6700024	SFP-Fiber-Transceiver 4G 1550 Yellow, 1550nm, FN	4G CWDM 1550nm - Yellow	x	x	x	
A6700025	SFP-Fiber-Transceiver 4G 1570 Orange, 1570nm, FN	4G CWDM 1570nm - Orange	x	x	x	
A6700026	SFP-Fiber-Transceiver 4G 1590 Red, 1590nm, FN	4G CWDM 1590nm - Red	x	x	x	
A6700027	SFP-Fiber-Transceiver 4G 1610 Brown, 1610nm, FN	4G CWDM 1610nm - Brown	x	x	x	
A6700057	SFP-Fiber-Transceiver 4G CWDM Rose Red, 1270nm, FS	4G CWDM 1270nm	x	x	x	Range up to 30 km
A6700058	SFP-Fiber-Transceiver 4G CWDM Sky Blue, 1290nm, FS	4G CWDM 1290nm	x	x	x	Range up to 30 km
A6700059	SFP-Fiber-Transceiver 4G CWDM Vivid Green, 1310nm, FS	4G CWDM 1310nm	x	x	x	Range up to 30 km
A6700060	SFP-Fiber-Transceiver 4G CWDM Caramel, 1330nm, FS	4G CWDM 1330nm	x	x	x	Range up to 30 km
A6700061	SFP-Fiber-Transceiver 4G CWDM Pink, 1350nm, FS	4G CWDM 1350nm	x	x	x	Range up to 30 km
A6700062	SFP-Fiber-Transceiver 4G CWDM Beige, 1370nm, FS	4G CWDM 1370nm	x	x	x	Range up to 30 km
A6700063	SFP-Fiber-Transceiver 4G CWDM White, 1390nm, FS	4G CWDM 1390nm	x	x	x	Range up to 30 km
A6700064	SFP-Fiber-Transceiver 4G CWDM Light Grey, 1410nm, FS	4G CWDM 1410nm	x	x	x	Range up to 30 km
A6700065	SFP-Fiber-Transceiver 4G CWDM Black, 1430nm, FS	4G CWDM 1430nm	x	x	x	Range up to 30 km
A6700066	SFP-Fiber-Transceiver 4G CWDM Yellow, 1450nm, FS	4G CWDM 1450nm	x	x	x	Range up to 30 km
A6700067	SFP-Fiber-Transceiver 4G CWDM Grey, 1470nm, FS	4G CWDM 1470nm	x	x	x	Range up to 30 km
A6700068	SFP-Fiber-Transceiver 4G CWDM Purple, 1490nm, FS	4G CWDM 1490nm	x	x	x	Range up to 30 km
A6700069	SFP-Fiber-Transceiver 4G CWDM Blue, 1510nm, FS	4G CWDM 1510nm	x	x	x	Range up to 30 km
A6700070	SFP-Fiber-Transceiver 4G CWDM Green, 1530nm, FS	4G CWDM 1530nm	x	x	x	Range up to 30 km
A6700071	SFP-Fiber-Transceiver 4G CWDM Buff, 1550nm, FS	4G CWDM 1550nm	x	x	x	Range up to 30 km
A6700072	SFP-Fiber-Transceiver 4G CWDM Orange, 1570nm, FS	4G CWDM 1570nm	x	x	x	Range up to 30 km
A6700073	SFP-Fiber-Transceiver 4G CWDM Red, 1590nm, FS	4G CWDM 1590nm	x	x	x	Range up to 30 km
A6700074	SFP-Fiber-Transceiver 4G CWDM Brown, 1610nm, FS	4G CWDM 1610nm	x	x	x	Range up to 30 km

CWDM SFP transceiver continuation

(For use with digital matrix computer and user modules *2, compressing extenders *3, Vision-IP, DVI-FiberLink, CAT repeaters and audio transceivers)

Item no.	Description	Specification	Computer and user modules*2	Compressing extenders *3	Vision-IP	DVI-FiberLink	CAT Repeater	Audio Transceiver	Note
A6700039	SFP-Fiber-Transceiver 1G CWDM Rose Red, 1270nm, FS	1G CWDM 1270nm			x	x	x	x	Range up to 20 km
A6700040	SFP-Fiber-Transceiver 1G CWDM Sky Blue, 1290nm, FS	1G CWDM 1290nm			x	x	x	x	Range up to 20 km
A6700041	SFP-Fiber-Transceiver 1G CWDM Vivid Green, 1310nm, FS	1G CWDM 1310nm			x	x	x	x	Range up to 20 km
A6700042	SFP-Fiber-Transceiver 1G CWDM Caramel, 1330nm, FS	1G CWDM 1330nm			x	x	x	x	Range up to 20 km
A6700043	SFP-Fiber-Transceiver 1G CWDM Pink, 1350nm, FS	1G CWDM 1350nm			x	x	x	x	Range up to 20 km
A6700044	SFP-Fiber-Transceiver 1G CWDM Beige, 1370nm, FS	1G CWDM 1370nm			x	x	x	x	Range up to 20 km
A6700045	SFP-Fiber-Transceiver 1G CWDM White, 1390nm, FS	1G CWDM 1390nm			x	x	x	x	Range up to 20 km
A6700046	SFP-Fiber-Transceiver 1G CWDM Light Grey, 1410nm, FS	1G CWDM 1410nm			x	x	x	x	Range up to 20 km
A6700047	SFP-Fiber-Transceiver 1G CWDM Black, 1430nm, FS	1G CWDM 1430nm			x	x	x	x	Range up to 20 km
A6700048	SFP-Fiber-Transceiver 1G CWDM Yellow, 1450nm, FS	1G CWDM 1450nm			x	x	x	x	Range up to 20 km
A6700049	SFP-Fiber-Transceiver 1G CWDM Grey, 1470nm, FS	1G CWDM 1470nm			x	x	x	x	Range up to 20 km
A6700050	SFP-Fiber-Transceiver 1G CWDM Purple, 1490nm, FS	1G CWDM 1490nm			x	x	x	x	Range up to 20 km
A6700051	SFP-Fiber-Transceiver 1G CWDM Blue, 1510nm, FS	1G CWDM 1510nm			x	x	x	x	Range up to 20 km
A6700052	SFP-Fiber-Transceiver 1G CWDM Green, 1530nm, FS	1G CWDM 1530nm			x	x	x	x	Range up to 20 km
A6700053	SFP-Fiber-Transceiver 1G CWDM Buff, 1550nm, FS	1G CWDM 1550nm			x	x	x	x	Range up to 20 km
A6700054	SFP-Fiber-Transceiver 1G CWDM Orange, 1570nm, FS	1G CWDM 1570nm			x	x	x	x	Range up to 20 km
A6700055	SFP-Fiber-Transceiver 1G CWDM Red, 1590nm, FS	1G CWDM 1590nm			x	x	x	x	Range up to 20 km
A6700056	SFP-Fiber-Transceiver 1G CWDM Brown, 1610nm, FS	1G CWDM 1610nm			x	x	x	x	Range up to 20 km
A6700028	SFP-Fiber-Transceiver 4G 1470 Grey, 1470nm, FN	4G CWDM 1470nm - Grey	x	x		x*4		x*4	
A6700029	SFP-Fiber-Transceiver 4G 1490 Violet, 1490nm, FN	4G CWDM 1490nm - Violet	x	x		x*4		x*4	
A6700030	SFP-Fiber-Transceiver 4G 1510 Blue, 1510nm, FN	4G CWDM 1510nm - Blue	x	x		x*4		x*4	
A6700031	SFP-Fiber-Transceiver 4G 1530 Green, 1530nm, FN	4G CWDM 1530nm - Green	x	x		x*4		x*4	

CWDM SFP transceiver continuation

(For use with digital matrix computer and user modules *2, compressing extenders *3, Vision-IP, DVI-FiberLink, CAT repeaters and audio transceivers)

Item no.	Description	Specification	Computer and user modules*2	Compressing extenders *3	Vision-IP	DVI-FiberLink	CAT Repeater	Audio Transceiver	Note
A6700024	SFP-Fiber-Transceiver 4G 1550 Yellow, 1550nm, FN	4G CWDM 1550nm - Yellow	x	x		x*4		x*4	
A6700025	SFP-Fiber-Transceiver 4G 1570 Orange, 1570nm, FN	4G CWDM 1570nm - Orange	x	x		x*4		x*4	
A6700026	SFP-Fiber-Transceiver 4G 1590 Red, 1590nm, FN	4G CWDM 1590nm - Red	x	x		x*4		x*4	
A6700027	SFP-Fiber-Transceiver 4G 1610 Brown, 1610nm, FN	4G CWDM 1610nm - Brown	x	x		x*4		x*4	
A6700057	SFP-Fiber-Transceiver 4G CWDM Rose Red, 1270nm, FS	4G CWDM 1270nm	x	x		x*5		x*5	Range up to 30 km
A6700058	SFP-Fiber-Transceiver 4G CWDM Sky Blue, 1290nm, FS	4G CWDM 1290nm	x	x		x*5		x*5	Range up to 30 km
A6700059	SFP-Fiber-Transceiver 4G CWDM Vivid Green, 1310nm, FS	4G CWDM 1310nm	x	x		x*5		x*5	Range up to 30 km
A6700060	SFP-Fiber-Transceiver 4G CWDM Caramel, 1330nm, FS	4G CWDM 1330nm	x	x		x*5		x*5	Range up to 30 km
A6700061	SFP-Fiber-Transceiver 4G CWDM Pink, 1350nm, FS	4G CWDM 1350nm	x	x		x*5		x*5	Range up to 30 km
A6700062	SFP-Fiber-Transceiver 4G CWDM Beige, 1370nm, FS	4G CWDM 1370nm	x	x		x*5		x*5	Range up to 30 km
A6700063	SFP-Fiber-Transceiver 4G CWDM White, 1390nm, FS	4G CWDM 1390nm	x	x		x*5		x*5	Range up to 30 km
A6700064	SFP-Fiber-Transceiver 4G CWDM Light Grey, 1410nm, FS	4G CWDM 1410nm	x	x		x*5		x*5	Range up to 30 km
A6700065	SFP-Fiber-Transceiver 4G CWDM Black, 1430nm, FS	4G CWDM 1430nm	x	x		x*5		x*5	Range up to 30 km
A6700066	SFP-Fiber-Transceiver 4G CWDM Yellow, 1450nm, FS	4G CWDM 1450nm	x	x		x*5		x*5	Range up to 30 km
A6700067	SFP-Fiber-Transceiver 4G CWDM Grey, 1470nm, FS	4G CWDM 1470nm	x	x		x*5		x*5	Range up to 30 km
A6700068	SFP-Fiber-Transceiver 4G CWDM Purple, 1490nm, FS	4G CWDM 1490nm	x	x		x*5		x*5	Range up to 30 km
A6700069	SFP-Fiber-Transceiver 4G CWDM Blue, 1510nm, FS	4G CWDM 1510nm	x	x		x*5		x*5	Range up to 30 km
A6700070	SFP-Fiber-Transceiver 4G CWDM Green, 1530nm, FS	4G CWDM 1530nm	x	x		x*5		x*5	Range up to 30 km
A6700071	SFP-Fiber-Transceiver 4G CWDM Buff, 1550nm, FS	4G CWDM 1550nm	x	x		x*5		x*5	Range up to 30 km
A6700072	SFP-Fiber-Transceiver 4G CWDM Orange, 1570nm, FS	4G CWDM 1570nm	x	x		x*5		x*5	Range up to 30 km
A6700073	SFP-Fiber-Transceiver 4G CWDM Red, 1590nm, FS	4G CWDM 1590nm	x	x		x*5		x*5	Range up to 30 km
A6700074	SFP-Fiber-Transceiver 4G CWDM Brown, 1610nm, FS	4G CWDM 1610nm	x	x		x*5		x*5	Range up to 30 km

CWDM SFP transceiver continuation

(For use with DL-Vision and DP1.2-Vision-XG)

Item no.	Description	Specification	DL-Vision	DP1.2-Vision-XG	Note
A6700080	SFP-Fiber-Transceiver 10G CWDM Rose Red, 1270nm, FS	10G CWDM 1270nm	x	x	Range up to 20 km
A6700081	SFP-Fiber-Transceiver 10G CWDM Sky Blue, 1290nm, FS	10G CWDM 1290nm	x	x	Range up to 20 km
A6700082	SFP-Fiber-Transceiver 10G CWDM Vivid Green, 1310nm, FS	10G CWDM 1310nm	x	x	Range up to 20 km
A6700083	SFP-Fiber-Transceiver 10G CWDM Caramel, 1330nm, FS	10G CWDM 1330nm	x	x	Range up to 20 km
A6700084	SFP-Fiber-Transceiver 10G CWDM Pink, 1350nm, FS	10G CWDM 1350nm	x	x	Range up to 20 km
A6700085	SFP-Fiber-Transceiver 10G CWDM Beige, 1370nm, FS	10G CWDM 1370nm	x	x	Range up to 20 km
A6700086	SFP-Fiber-Transceiver 10G CWDM White, 1390nm, FS	10G CWDM 1390nm	x	x	Range up to 20 km
A6700087	SFP-Fiber-Transceiver 10G CWDM Light Grey, 1410nm, FS	10G CWDM 1410nm	x	x	Range up to 20 km
A6700088	SFP-Fiber-Transceiver 10G CWDM Black, 1430nm, FS	10G CWDM 1430nm	x	x	Range up to 20 km
A6700089	SFP-Fiber-Transceiver 10G CWDM Yellow, 1450nm, FS	10G CWDM 1450nm	x	x	Range up to 20 km
A6700090	SFP-Fiber-Transceiver 10G CWDM Grey, 1470nm, FS	10G CWDM 1470nm	x	x	Range up to 30 km
A6700091	SFP-Fiber-Transceiver 10G CWDM Violet, 1490nm, FS	10G CWDM 1490nm	x	x	Range up to 30 km
A6700092	SFP-Fiber-Transceiver 10G CWDM Blue, 1510nm, FS	10G CWDM 1510nm	x	x	Range up to 30 km
A6700093	SFP-Fiber-Transceiver 10G CWDM Green, 1530nm, FS	10G CWDM 1530nm	x	x	Range up to 30 km
A6700094	SFP-Fiber-Transceiver 10G CWDM Buff, 1550nm, FS	10G CWDM 1550nm	x	x	Range up to 30 km
A6700095	SFP-Fiber-Transceiver 10G CWDM Orange, 1570nm, FS	10G CWDM 1570nm	x	x	Range up to 30 km
A6700096	SFP-Fiber-Transceiver 10G CWDM Red, 1590nm, FS	10G CWDM 1590nm	x	x	Range up to 30 km
A6700097	SFP-Fiber-Transceiver 10G CWDM Brown, 1610nm, FS	10G CWDM 1610nm	x	x	Range up to 30 km

Other SFP transceiver

(For use with I/O-Card-Multi, Vision-IP and CAT-Repeater)

Item no.	Description	Specification	I/O-Card-Multi	Vision-IP	CAT-Repeater	Note
A6700016	SFP-CAT-Transceiver-1G for CCD-IO-CARD-MULTI	1G CAT, RJ45	x	x	x	e.g. in multi-port for 1G Ethernet (CAT)
A6700018	SFP-Coax-Transceiver-DIN for CCD-IO-CARD-MULTI	3G-SDI, Coax, DIN 1.0/2.3	x			for 3G SDI for MADl, Coax (BNC, DIN 1.0/2.3)
A6700019	SFP-Coax-Transceiver-HD-BNC for CCD-IO-CARD-MULTI	3G-SDI, Coax, HD BNC	x			for 3G SDI for MADl, Coax (BNC)
A6700020	SFP-Fiber-Transceiver(M)-8G for CCD-IO-CARD-MULTI	8G Multimode, LC Duplex, 850nm	x			e.g. for Icron USB 3.0 Spectra
A6700017	SFP-Fiber-Transceiver(S)-SDI-M for CCD-IO-CARD-MULTI	3G-SDI, MADl, LC Duplex, 1310nm	x			for 3G SDI for MADl, Fiber (LC duplex)

*1: Can only be used with the transmission interface USB 2.0 transparent

*2: All fibre optic variants of digital matrix computer and user modules

*3: Affected compressing G&D KVM extenders are: DP1.2-Vision, DP-Vision, DVI-Vision

*4: Supports 1G mode with extended range of up to 20 km

*5: Supports 1G mode with extended range of up to 40 km