CHERRY AK-100/24

24 keys programmable POS keyboard





Models may vary from the image shown

The programmable cash register keyboard AK-100/24 is an outstanding solution for businesses that require a flexible and customizable input method. The keys are equipped with 24 freely (re)labelable keycaps, allowing for easy and clear identification of functions. Thanks to the user-friendly software "Matrix Maker," users can customize the key layout to their preferences. Up to 8 different layers can be programmed, significantly enhancing the keyboard's flexibility and functionality.

Another advantage of the AK-100/24 is its internal memory for key codes, which eliminates the need for additional driver software.

The use of high-quality MX keys with Gold Cross Point contacts ensures long-lasting durability and reliable responsiveness. Additionally, the internal metal plate provides maximum stability, allowing the keyboard to deliver secure and precise input even under heavy use.

Overall, the AK-100/24 is a powerful and customizable cash register keyboard that is ideal for use in retail, gastronomy, and other industries where efficiency and user-friendliness are top priorities.

FUNCTION AND PERFORMANCE

- → 24 freely programmable keys
- → Re-labelable keycaps

- → Software "Matrix Maker" for individual key mapping
- \rightarrow Up to 8 layers programmable
- → Internal memory for key codes, no driver software required
- → MX keys with Gold Cross Point contacts
- → High durability and reliable input

TECHNICAL DATA

Colour:	black	
Weight main product:	12 oz	
Weight of product without packaging:	12.35 oz	
Weight of product incl. packaging:	14.82 oz	
Weight of master carton incl. content:	320.99 oz	
Content of master carton (pieces):	20	
Dimensions product without packaging:	6,89 in x 4,13 in x 1,77 in	
Dimensions product incl. packaging:	8,27 in x 5,71 in x 1,77 in	
Dimensions master carton:	19.49 in x 8.86 in x 12.4 in	
Storage temperature:	-4 °F - 140 °F	
Storage temperature.		
Working temperature:	32 °F - 122 °F	
Working temperature:	32 °F - 122 °F • CE	
Working temperature: Product approvals:	32 °F - 122 °F • CE • EU RoHS All operating systems that support USB keyboard	
Working temperature: Product approvals: Operating system:	32 °F - 122 °F • CE • EU RoHS All operating systems that support USB keyboard interface • Keyboard • Manual • Keycaps	
Working temperature: Product approvals: Operating system: Scope of delivery: Service life per key (in	32 °F - 122 °F CE EU RoHS All operating systems that support USB keyboard interface Keyboard Manual Keycaps	
Working temperature: Product approvals: Operating system: Scope of delivery: Service life per key (in million strokes): Switching	32 °F - 122 °F • CE • EU RoHS All operating systems that support USB keyboard interface • Keyboard • Manual • Keycaps 50 mio. actuations linear	
Working temperature: Product approvals: Operating system: Scope of delivery: Service life per key (in million strokes): Switching characteristics:	32 °F - 122 °F • CE • EU RoHS All operating systems that support USB keyboard interface • Keyboard • Manual • Keycaps 50 mio. actuations linear 60 cN 4,5 mm	
Working temperature: Product approvals: Operating system: Scope of delivery: Service life per key (in million strokes): Switching characteristics: Actuating force (cN):	32 °F - 122 °F • CE • EU RoHS All operating systems that support USB keyboard interface • Keyboard • Manual • Keycaps 50 mio. actuations linear	



Switches: CHERRY MX BLACK

Protection class: Standard

Warranty: 2 years warranty

Errors, technical changes and delivery options reserved. Technical information refers only to the specification of the products. Properties are not guaranteed.



SKU / EAN / UPC	Protection class	Switches	Colour
AK-100-PW-B/24 EAN 7061115697557 UPC	Standard	CHERRY MX BLACK	black
AK-100-UW-B/24 EAN 7061118267016 UPC	Standard	CHERRY MX BLACK	black

Please contact your local CHERRY service and support teams or your CHERRY sales partners for versions available in your country.